

# SID



ابزارهای  
پژوهش



سرویس ترجمه  
تخصصی



کارگاه های  
آموزشی



بلاگ  
مرکز اطلاعات علمی



سامانه ویراستاری  
STES



فیلم های  
آموزشی

## کارگاه های آموزشی مرکز اطلاعات علمی



توسعه آموزش  
آموزش مهارت های کاربردی در تدوین و چاپ مقالات ISI

آموزش مهارت های کاربردی  
در تدوین و چاپ مقالات ISI



توسعه آموزش  
روش تحقیق کمی

روش تحقیق کمی



توسعه آموزش  
آموزش نرم افزار Word برای پژوهشگران

آموزش نرم افزار Word  
برای پژوهشگران

---

Archive of SID

(E-mail: massamiee@yahoo.com)

---

|| : || :

---

( )

( ) .( )

.( )

( )

( ) .( )  
( )

( )

( ) .( ) ( ) .( )

(S) (A)  
( ) .( ) (Kb)  
( )

.( )

- 
- Tomie & Durrans
  - Runner & Fery
  - Wright
  - Vogel
  - Martino
  - Puero-Rico

.( )

.( )

---

( ) .( )

( ) ( ) .( )

( ) ( )

( ) .( )

) d

( d  
d

.( )

( )

( )



.( )

, ° , °

, ° , °

---

.Yue  
.Waltmeyer  
.Warner



	/			/		/	/	/	/	/	/	/	.				
/	/					/	/	/	/	/	/	/	.				
						/	/	/	/	/	/	/	.				
/		/	/	/		/	/	/	/	/	/	/	.				
/	/					/	/	/	/	/	/	/	.				
/		/	/	/		/	/	/	/	/	/	/	.				
	/	/	/	/		/	/	/	/	/	/	/	.				
	/	/	/	/		/	/	/	/	/	/	/	.				
		/		/		/	/	/	/	/	/	/	.				
		/		/		/	/	/	/	/	/	/	.				
		/		/		/	/	/	/	/	/	/	.				



							( )

( )

.....  
/ " .  
( )

( )

KMO = /

(Kaiser-Meyer-Olkin)

( )	/	/	/	/	/	/
(Km <sup>2</sup> )	/	/	/	/	/	
(Km/km <sup>2</sup> )	/	/	/	/	/	/
(mm)	/	/	/	/	/	/
Km)	/	/	/	/	/	/
(m/s)	/		/	/	/	/

( Km <sup>2</sup> )	/	/	/	/
( mm )	/	/	/	/
( m/s )	/	/	/	/
( )	/	/	/	/
( Km/km <sup>2</sup> )	/	/		
( Km )	/			


( )	/	/	/
( Km <sup>2</sup> )	/	/	/
( Km/km <sup>2</sup> )	/	/	/
( mm )	/	/	/
( Km )	/	/	/
( m/s )	/	/	/

( ) ( ) ( ) :  
 .( ) ( ) ( ) ( )  
 ( ) ( ) :  
 ( ) ( ) ( ) ( )  
 .( )

( )



C A S E 0 5 10 15 20 25  
 Label Num +-----+-----+-----+-----+-----+



Archive of SID

R	Se		
/	/	$\ln Q = - / + / \ln A + / \ln P$	
/	/	$\ln Q = - / + / \ln A + / \ln P$	
/	/	$\ln Q = - / + / \ln A + / \ln P$	
/	/	$\ln Q = - / + / \ln A + / \ln P$	
/	/	$\ln Q = - / + / \ln A + / \ln P$	
/	/	$\ln Q = - / + / \ln A + / \ln P$	

( ) :P ( ) :A ( ) :Ln :Se :Q :R<sup>2</sup>

R	Se		
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA + / LnP	
/	/	LnQ= - / + / LnA + / LnP+ / LnS	
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	

:S

R	Se		
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	
/	/	LnQ= - / + / LnA	

Archive of SID

Se ( ) R<sup>2</sup> ( )

Se

( ) Se

Se /

( )

R<sup>2</sup>

( )

RMSE

( )  
(RMSE)

Se R<sup>2</sup>

( )

/	/	/	/	/	/	(m <sup>3</sup> /s)
/	/	/	/	/	/	
/	/	/	/	/	/	

RMSE

/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	

RMSE -

/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	

( )

( )

( )

/	/	/	/	/		
/	/	/	/	/		
/	/	/	/	/		

R	Se	
/	/	LOG(Q2)= / LOG(A)- /
/	/	LOG(Q2)= / LOG(A)- /
/	/	LOG(Q2)= / LOG(A)- /

RMSE :  
 RMSE  
 .  
 ( )

RMSE -

/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	

RMSE -

/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	
/	/	/	/	/	/	

RMSE

( )

( )

/	/	/	/	/	/		
/	/	/	/	/	/		
/	/	/	/	/	/		
/	/	/	/	/	/		
/	/	/	/	/	/		
/	/	/	/	/	/		
/	/	/	/	/	/		

/

( )

( )

)

(

Se R<sup>2</sup>

- 
- 7-Chang, M. & D.G.Boyer, 1977. Estimating of Low Flows Using Watershed and Climatic Parameters,Water Resources Research,vol 13,no.6;997-1001.
- 8-Chow,V.T,1964. Handbook of Applied Hydrology,MC GRAW-HILL BOOK COMPANY.
- 9-Dingman ,S.L. & S.C.Lawlor , 1995. Estimating Low Flow Quantiles from Drainge Basin Characteristics in New Hampshire and Vermont, Water Resource Bulletin,vol.31,NO.2:243-256.
- 10- Durrans , S.r & S. Tomic,1996. Regionalization of Low Flow Frequency Estimates:An Albama Case Study,Water Resources Bulletin.vol.32,vol.32,NO.1,P:23-27.
- 11-Kroll.c.n, &j.p. Stedinger, 1999,Development of Regional Relationships with Ensored Data.Water Resources Research.35(3),P:775-784.
- 12- Martino,G.A.R, F.N.Scantena, G.S.Warner, & D.L.Civco, 1996. Statistical Low Flow Estimation Using GIS Analysis in Humid Montain Regions in Puetro Rico, Water Resource Bultain, Vol 32. No 6: 1259-1271.
- 13-Smaktin,V.U.,2001.Low Flow Hydrology :a Review, Journal of Hydrology, P:147-186.
- 14-The Task Committee of Low Flows,1980, Characteristics of Low Flows, Journal of the Hydraulics Division,P:717-731.
- 15- Vogel, R. M. & C.N. Kro ll, 1992.Regional Geohydrologic-Geomorphic Relationships for the Estimation of Low Flow Statistics,Water Resources Research,p:2451-2458.
- 16-Waltmeyer,S.D.,2002.Analysis of the Magnitude and Frequency of the 4-day Annual Low Flow and Regression Equations for Estimating the4-days,3 Year Low-flow FREQUENCY at Ungaged Sites on Unregulated Streams in New Mexico.US.Geological Survey, Water Resources Investigatios Report 01-4271.
- 17-Warner,G.S.,Garcia-Martion,R.A.,Scatena,N.F.,2003.Watershed Chractionization by GIS for Low Flow Prediction, GIS for Water Resources and Watershed Management,chapter 9.
- 18-Yue,P.S. ,P.C.Yang, & C.W.Liu, 2002.A Regional Model of Low Flow for Southern Taiwan ,Hydrological Processes,P:2017-2034.

---

## Regional Analysis of low flow in Tehran watersheds

M. Samiee<sup>1</sup>      M. Mahdavi<sup>2</sup>      B. Saghafian<sup>3</sup>      M. Mohseni Saravi<sup>4</sup>

### Abstract

Analysis of low flow is one of the important considerations in any water resources project. Meanwhile, as a general idea it seems that flow control is more important than drought mitigation but it is necessary to pay more attention to drought problem in future project. In this paper, all available data for 12 selected watersheds were analyzed and low flows of 30 days duration and return period was calculate for each flow data. Also, hydro climatic and geomorphologic parameters were considerate to obtain the most effective factors on low flows which help to separate homogeneity area. The most effective factors were: Area, mean annual precipitation, average weighted infiltration and average slope of the watershed which illustrate 99/36 of variation of data. Then homogeneity areas were identified using cluster analysis.

Meanwhile, regression and low flow indication were obtained using the data. Results were compared with data of 4 control watersheds to evaluate accuracy of the model which showed more efficiency of multivariate regression method comparing to low flow index method in different return periods.

**Keywords :** Regional analyses, low flow, frequency analysis, cluster analysis.

---

*1-Senior Expert, Soil Conservation and Watershed Management Research Center*

*2-Professor, Faculty of Natural Resource University of Tehran*

*3-Assistant Professor, of Soil Conservation and Watershed Management Research Center*

*4-Associate Professor, Faculty of Natural Resource, University of Tehran*

# SID



ابزارهای  
پژوهش



سرویس ترجمه  
تخصصی



کارگاه های  
آموزشی



بلاگ  
مرکز اطلاعات علمی



سامانه ویراستاری  
STES



فیلم های  
آموزشی

## کارگاه های آموزشی مرکز اطلاعات علمی



تازه های آموزش  
آموزش مهارت های کاربردی در تدوین و چاپ مقالات ISI

آموزش مهارت های کاربردی  
در تدوین و چاپ مقالات ISI



تازه های آموزش  
روش تحقیق کمی

روش تحقیق کمی



تازه های آموزش  
آموزش نرم افزار Word برای پژوهشگران

آموزش نرم افزار Word  
برای پژوهشگران